


Owner's Manual & Safety Instructions

Save This Manual Keep this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures. Write the product's serial number in the back of the manual near the assembly diagram (or month and year of purchase if product has no number). Keep this manual and the receipt in a safe and dry place for future reference.

600 LB. CAPACITY

HEAVY DUTY TRAILER DOLLY



Specifications

Capacity	600 lb. tongue weight
Hitch Ball	1-7/8"

⚠ WARNING

Read this material before using this product.
Failure to do so can result in serious injury.
SAVE THIS MANUAL.

Important Safety Information

1. Study, understand, and follow all instructions before operating this device.
2. Do not exceed rated capacity.
3. Use only on hard level surface.
4. Before moving a trailer, assure that the load is centered and coupler secured.
5. No alterations shall be made to this product.
6. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly and use.
7. Keep clear of trailer's path while placing on and removing from dolly, and while moving.
8. Use as intended only. Do not use for aircraft purposes.
9. Inspect before every use; do not use if parts loose or damaged.
10. Be aware of dynamic loading! Sudden load movement may briefly create excess load causing product failure.
11. Read trailer owner's manual and instruction manual for Tongue Jack (not included) before use.
12. Do not work under Trailer while on Dolly.
13. Keep area free of spectators and do not allow anyone on trailer while on Dolly.
14. Use wheel chocks when raising front of trailer for placement onto Dolly.
15. Assemble only according to instructions. Improper assembly can create hazards.
16. Keep assembly area clean and well lit.
17. Weight capacity and other product capabilities apply to properly and completely assembled product only.
18. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
19. This product is not a toy. Do not allow children to play with or near this item.
20. Maintain product labels and nameplates. These carry important safety information.

Instructions



Read the **ENTIRE IMPORTANT SAFETY INFORMATION** section at the beginning of this document including all text under subheadings therein before set up or use of this product.

Assembly

1. Attach V-Support (F), Connector (C), and Brace (D) to Handle (A) using three Bolts (1), Lock Washers (3), and Nuts (2).
2. Attach Connector (C) under Axle Base (B), using two Bolts (9), Lock Washers (3), and Nuts (2).
3. Attach Brace (D) to Axle Base (B), using Bolt (4), Lock Washer (6), and Nut (5).
4. Slide the Wheels (G) over the ends of the Axle Base (B) and secure in place with Washers (H) and Cotter Pins (I). Bend Cotter Pins into place.

Operation

1. Check Dolly tire inflation and correct as needed.
Inflation pressure is marked on tires.

2. Chock trailer wheels to keep them from rolling. Chocks sold separately.
3. Use a Tongue Jack (sold separately) to raise the Trailer's tongue.

4. Place Dolly in position under raised coupler. Lower coupler slowly onto Dolly and secure it to Dolly.

5. Use Handle to guide vehicle to location.

Parts List and Diagram

Part	Description	Qty
A	Handle	1
B	Axle Base	1
C	Connector	1
D	Brace	1
E	Coupler Ball	1
F	V-Support	1
G	Wheel	2

Part	Description	Qty
H	Washer	2
I	Cotter Pin	2
J	Handle Grip	2
1	M10x50 Bolt	3
2	M10 Nut	5
3	Lock Washer	5
4	M12x30 Bolt	1

Part	Description	Qty
5	M12 Nut	1
6	Lock Washer	1
7	M18x40 Bolt	1
8	Lock Washer	1
9	M10x20 Bolt	2

