



220/440lb, 440/880lb, 660/1320lb, 880/1760lb Part List

Part No.	Description	Spec	Qty
1	Outer hex bolt	M8x25-8.8级	4
2	spring washer	φ8x2	4
3	washer	φ8x1.6	4
4	Fasten clamp		2
5	pulley hook assembly		1
5-1	bolt	m8	1
5-2	screw	M6	2
5-3	pin		1
5-4	pulley plywood		2
5-5	rubber washer	M8	2
5-6	hook		1
5-7	flat washer	M8	1
5-8	lock nut	M8	1
5-9	flat washer	M6	2
5-10	lock nut	M6	2
5-11	pulley		1
6	Socket sunk head screw	M8x18-8.8级	2
7	subulate tooth-washer	φ8	2
8	Housing cover		1
9	rolling bearing6202	6202	1
10	shaft washer for Rope drum		1
11	rope drum assembly		1
11-1	hook		
11-2	rope thimble		
11-3	copin		
11-4	buffer spring		
11-5	rope block		
11-6	steel rope		
11-7	rope drum		
11-8	rope pin		
12	shaft washer for Rope drum		1
13	socket shaft for rope drum		1
14	flat key	5x10	2
15	rolling bearing6202	6202	2

220/440lb, 440/880lb, 660/1320lb, 880/1760lb Part List

16	Outer hex bolt	M5x16	6
17	spring washer	φ5	10
18	flat washer	φ5	10
19	gear box	铝	1
20	Small helical gear		1
21	Snap ring	φ15	1
22	paper wahser		1
23	rolling bearing6200	6200	2
24	gear driving shaft		1
25	big helical gear		1
26	front housing cover		1
27	rotor		1
28	stator		1
29	motor housing		1
30	brake spring	φ2.2mm	1
31	brake assembly		1
32	rolling bearing6301	6301	1
33	back housing cover		1
34	fan		1
35	fan cover		1
36	Outer hex bolt	M5x148	4
37	Cross pan head screw	M4x6	4
38	lower airproof loop of junction box		1
39	lower cover of junction box		1
40	flat washer	φ4	15
41	Cross pan head screw	M4X12	4
42	Cross pan head tapping screw	M3x14	6
43	position limited switch		1
44	Snap ring	φ8	1
45	button spring loop		1
46	position limited button	φ8	1
47	connection ending		1
48	eliciting line		3
49	plug-in Reed Jacket	6.3	2
50	plug-in Reed	6.3	2
51	up airproof loop of junction box		1

220/440lb, 440/880lb, 660/1320lb, 880/1760lb Part List

52	up cover of junction box		1
53	rubber loop	φ4	9
54	Cross pan head tapping screw	M4x15	9
55	waterproof plug and cable line	3G1.31mm ²	1
56	Anti-kink device of cable line	M16	3
57	Cross pan head screw	M4X8	2
58	spring washer	φ4	3
59	Terminal piece	φ4x0.5	1
60	tooth washer	φ4	2
61	coper head of position limited cable line		11
62	Bilateral switch	HY12-9-3	1
63	waterproof loop		1
64	up cover of controlling handle		1
65	capacitor		1
66	airproof loop of controlling handle		1
67	lower cover of controlling handle		1
68	plug-in Reed	6.3	6
69	plug-in Reed Jacket	6.3	6
70	cable line	4x1.31mm*1.76m	1
71	binding		1
72	reed of position limited switch		1
73	tie-in of position limited switch		1
74	Cross pan head screw	M4X6	1
75	socket screw	M8x40-8.8级	1
76	position limited bracket		1