



Wakefield Canada Inc.
3660 Lake Shore Blvd. West
Toronto ON. M8W 1P2
Canada
416-252-5511

PRODUCT: Castrol 4T Snowmobile Full Synthetic Oil

CODE: 0017600

SECTION 01: IDENTIFICATION

Initial Supplier Identifier..... Wakefield Canada Inc.
3660 Lake Shore Blvd. West
Toronto ON. M8W 1P2
Canada
416-252-5511

Product Identifier..... Castrol 4T Snowmobile Full Synthetic Oil
Other means of Identification..... 0017600
Recommended use of product and any ... Engine Oil. No known restrictions.
restrictions

Emergency telephone number and any ... For product service contact Wakefield Canada Inc. at (800) 462-0835. In the event of a
restrictions on the use of that number transport emergency contact Canutec at (613) 996-6666.

SECTION 02: HAZARD IDENTIFICATION



Hazard Classification..... Aspiration Hazard — Category 1.
Signal Word..... DANGER.
Hazard Statements..... H304 May be fatal if swallowed and enters airways.
Prevention..... P201 Obtain special instructions before use. P202 Do not handle until all safety
precautions have been read and understood. P210 Keep away from all sources of heat,
sparks, open flames, hot surfaces. No smoking. P261 Avoid breathing dust, vapor, mist or
spray. P271 Use only outdoors or in a well ventilated area. P280 Wear protective
gloves/protective clothing/eye protection/face protection.

Response..... P301+P310 IF SWALLOWED: Immediately call your local POISON CONTROL CENTRE.
P331 Do NOT induce vomiting.

Storage..... P405 Store locked up.

Disposal..... P501 Dispose of contents and empty containers in accordance with local regulations.

Other hazards..... None known.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	60-80
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	7-13
<<The actual concentration(s) withheld as a trade secret>>		

SECTION 04: FIRST-AID MEASURES

Eye Contact..... Check for an remove any contact lenses. Immediately flush eyes with plenty of water for at
least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention
immediately.

Skin Contact..... Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes.
Wash with soap and water. Launder contaminated clothing before reuse. Seek medical
advise.

Ingestion..... Wash out mouth with water. Do not induce vomiting unless directed to do so by medical
personnel. Never give anything by mouth to an unconscious person. Get medical attention
immediately. Aspiration hazard.

Inhalation..... Move to fresh air. Aspiration hazard. If breathing has stopped use mouth to mouth or if
trained give oxygen. Use barrier to give mouth-to-mouth resuscitation.. Seek medical
attention immediately.

Most important symptoms and effects, both acute and delayed First aider needs to protect himself.

Indication of any immediate medical Treat symptomatically. Take a copy of this SDS for medical personnel.
attention and special treatment needed

PRODUCT: Castrol 4T Snowmobile Full Synthetic Oil**CODE: 0017600****SECTION 05: FIRE-FIGHTING MEASURES**

Suitable extinguishing media..... Use an extinguishing agent suitable for the surrounding fire.
 Unsuitable extinguishing media..... None known.
 Specific hazards arising from the Use water spray to cool containers. Hazardous decomposition products include but not
 hazardous product, such as the nature of limited to: Carbon dioxide, carbon monoxide. Smoke. Irritating vapours.
 any hazardous combustion products
 Special protective equipment and Prevent product and discharge from entering drains. Firefighters should wear appropriate
 precautions for fire-fighters protective equipment suitable for surrounding fire.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective Evacuate area to safe place. Keep people away and stay on the upwind side. Wear
 equipment and emergency procedures approved respiratory and personal protection equipment.
 Environmental Precautions..... Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches, and
 waterways.
 Methods and materials for containment .. Ventilate area. Use non-sparking tools. Remove sources of ignition. Stop leak if safe to do
 and cleaning up so. Absorb or cover with dry earth, sand or other non-combustible, non-toxic absorbent
 material and place in well-marked, sealed containers. Use clean anti-spark tools to recover
 contaminated absorbents. Contact competent authorities after a spill.

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Avoid breathing mist or vapours. Avoid direct contact. Do not eat or drink while working
 with this product, wash thoroughly after handling. Ensure adequate ventilation. Keep away
 from other ignition sources. Keep container closed when not in use. Use good safety
 measures and observe industrial hygiene practices.
 Conditions for safe storage, including any Keep container tightly closed in a well ventilated area. Avoid direct contact. Do not eat or
 incompatibilities drink while working with this product, wash thoroughly after handling. Store away from
 direct sunlight. Do not store in heat. Containers that have been opened must be carefully
 resealed and kept upright to prevent leakage. Empty product containers may retain product
 residue and can be dangerous. Use appropriate containment to avoid environmental
 contamination. Use good industrial handling and hygiene practices.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	TWA (Inhalable particulate matter) 5 mg/m3	Not available	Not available	Not available	Not available	Not available
	Not available					
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	5 mg/m3 (Inhalable particulate matter)	Not available	Not available	Not available	Not available	Not available
	Not available					
Appropriate engineering controls.....	No special requirements. Good general ventilation should be used.					
Respiratory/Type.....	Not normally required if good ventilation is maintained. Use respirator with an organic vapor and dust/mist cartridge . Consult your supplier of personal protective equipment for additional instructions on proper usage.					
Clothing/Type	Wear chemical resistant clothing. Consult your supplier of personal protective equipment for additional instructions on proper usage.					
Eye/Type.....	Wear chemical safety goggles while handling this product. Wear additional eye protection such as a face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Consult your supplier of personal protective equipment for additional instructions on proper usage.					
Gloves/Type.....	Wear impervious gloves. Consult your supplier of personal protective equipment for additional instructions on proper usage.					
Footwear/Type.....	Chemical resistant safety boots. Consult your supplier of personal protective equipment for additional instructions on proper usage.					
Other/Type.....	Emergency eye wash station and shower should be available. Anyone handling this product should wash their hands and face before eating, drinking or using tobacco products.					

PRODUCT: Castrol 4T Snowmobile Full Synthetic Oil**CODE: 0017600****SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance / physical state Liquid.
 Colour..... Clear / amber.
 Odour..... Hydrocarbon.
 Odour Threshold (ppm)..... Not available.
 pH..... Not available.
 Melting/Freezing Point..... Not available.
 Initial Boiling Point/Boiling Range..... Not available.
 Flash Point (deg C), Method..... 200 °C.
 Fire Point..... Not available.
 Auto Ignition Temperature (deg C)..... Not available.
 Evaporation Rate..... Not available.
 Flammability (solid/gas)..... Not applicable.
 Upper Flammable Limit (% Vol)..... Not available.
 Lower Flammable Limit (% Vol)..... Not available.
 Vapour Pressure (mm Hg)..... Not available.
 Vapour Density (Air=1)..... Not available.
 Relative Density/Specific Gravity..... Not available.
 Density..... Not available.
 Solubility..... Not available.
 Partition coefficient — n-octanol/water..... Not available.
 Kinematic Viscosity @ 40 °C..... 48.0 cSt.
 Kinematic Viscosity @ 100 °C..... 7.00.

SECTION 10: STABILITY AND REACTIVITY

Reactivity..... Avoid heat, sparks and flame.
 Chemical stability..... Stable at normal temperatures and pressures.
 Conditions to avoid, including static discharge, shock or vibration No data.
 Possibility of hazardous reactions..... Hazardous polymerization will not occur.
 Hazardous decomposition products..... Carbon dioxide. Smoke. Irritating vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	Inhalation Rat (Dust/Mist) >5.2 mg/L 4 hours	Oral Rat >5000 mg/kg Dermal Rabbit >2000 mg/kg
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	LC50 (Rat): > 5.2 mg/l, Exposure time: 4 h, Test atmosphere: dust/mist	LD50 (Rat): > 5,000 mg/kg LD50 (Rabbit): > 2,000 mg/kg,
Route of Exposure.....	Eyes. Skin contact. Inhalation. Ingestion.	
Skin corrosion/irritation.....	No data available.	
Serious eye damage/irritation.....	No data available.	
Sensitization.....	No available information.	
Carcinogenicity.....	No available information.	
Germ cell mutagenicity.....	No known mutagenic effects.	
Reproductive Toxicity.....	No known reproductive effects. .	
Specific Target Organ Toxicity - single exposure.....	No available data.	
Specific Target Organ Toxicity - repeated exposure.....	No available data.	
Aspiration Hazard.....	May be fatal if swallowed and enters airways.	

SECTION 12: ECOLOGICAL INFORMATION

Environmental..... No product data available.
 Persistence and degradability..... No product data available.
 Bioaccumulation Potential..... No product data available.
 Mobility in soil..... No product data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal and methods of disposal, including any contaminated packaging Dispose in accordance with all local, provincial and federal regulations. Do not dispose directly into rivers, watercourses or drains.

PRODUCT: Castrol 4T Snowmobile Full Synthetic Oil

CODE: 0017600

SECTION 14: TRANSPORT INFORMATION

TDG Classification..... Not regulated.
Proof of Classification..... This product has been classified in accordance with DOT and Canada's Part 2 of the Transportation of Dangerous Goods regulations.

SECTION 15: REGULATORY INFORMATION

CEPA Status..... All components of this product are listed on the Domestic Substance List (DSL) or they are exempt.
NPRI..... This product does not include any substances listed on the NPRI.
Environmental Emergency Regulations.... This product does not include any substances listed on the Environmental Emergency Regulations.
CMP Categorization..... Met the criteria under subsection 73(1). Additional reporting may be required. (CAS # 72623-86-0).
TSCA Inventory Status..... All components are listed on the TSCA or exempt.

SECTION 16: OTHER INFORMATION

Prepared by Trivalent Data Systems Ltd. <http://www.trivalent.com> .
Disclaimer..... The information contained herein is based on information believed to be reliable. Wakefield Canada Inc. makes no warranties, express or implied, and assumes no liability with any use of this information.
Date of the latest revision of the safety ... 2024-07-02
data sheet